


ZANNIS
CENTER FOR
PLASTIC SURGERY

TYLENOL AND/OR EXTRA-STRENGTH TYLENOL IS OKAY TO TAKE.

THE FOLLOWING MEDICATIONS THIN THE BLOOD AND RAISE THE RISKS OF EXCESSIVE BLEEDING DURING AND AFTER THE OPERATION:

ALEVE	EXCEDERIN
ASPIRIN	EXTRA STRENGTH BUFFERIN
ADVIL	4-WAY COLD TABLETS
ALKA SELTZER	FIORINAL
ANACIN	GEMNISYN
APC	GOODY'S POWDER
APECTOL	IBUPROFEN
ARTHRITIS STRENGTH BUFFERIN	INDOCIN
ASA COMPOUND	LIQUIDSRIN TABLETS
ASCRIPIN	MIDOL
ASPERGUM	MOTRIN
BUFF-A-COMP	NAPROSYN
BC	NORGESIC
BUFFERIN	NOVAHISTINE W/APC
BUTAZOLIDIN	PERCODAN
BUTABITAL W/APC	PHENAPHEN
CAPRON CAPSULES	PHENSOL
CETASID	RELAFEN
CONTAC	ROBAXISAL
CONGESPIRIN	SK-65 COMPOUND
COPE CORICIDIN	STANBACK
CORCIDIN	SUPAC
CORCIDIN D	SUPER ANAHIST
COUNTERPAIN	SYNALGOS
DARVON	TRIGISIC
DEFORTE-DEFULE	TRIAMINIC
DOLOBID	VANQUISH
DRISTAN	VITAMIN E
ECOTRIN	ZACTRIN
EMPIRIN	ZORPHRIN
EQUAGESIC	

DO NOT TAKE any of these medications or any medications containing aspirin or blood thinning agents for at least ten (10) days prior to surgery.

PLEASE DO NOT TAKE DIET PILLS OR HERBAL MEDICINES FOR 30 DAYS PRIOR TO SURGERY. _____ Initials

Please note: This list does not include all medications containing Aspirin! If you are currently taking any medications not listed above, consult with your physician prior to scheduling surgery. _____ Initials

I have been instructed not to smoke _____days prior to my surgery. I understand that I will be tested the morning of surgery, and if the test results are positive for nicotine my surgery will be cancelled _____ Initials